D4110-1 DOUBLER, LH DOOR

D4110-3 DOUBLER, SILL

Α	NEW ISSUE					10.07.20	
REV.	C			ESCRIPTION	BY	DATE	
DESIGN		JPH	1	DART AEROSPA		ACE LTD	
DRAWN		JF	1	HAWKESBURY, ONTARIO, CANADA			
CHECKED		13	, ,	DRAWING NO.		REV. A	
MFG. APPR.		W.		D4110		SHEET 1 OF 3	
APPROVED		TW	$P \mid$	TITLE		SCALE	
DE APPR.		- ##		DOUBLER		NTS	
DATE 10.07.20				COPYRIGHT @ 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

D4110-2 DOUBLER, RH DOOR

2.14 1.64 0.82 PITCH -CSK 0.225 X 100° 7 PL 0.50 0.508 0.25 Ø0.128 0.254 REF 7 PL 0.25 **(** ϕ 0.375 2.32 1.16 PITCH R0.25 TYP 1.18 0.254 0.254 2.14 2.14 CSK 0.225 X 100° 7 PL Ø0.375 1.18 2.32 1.16 PITCH R0.25 0.25 TYP 0.25 0.254 0.063 REF 0.063 REF Ø0.128 0.508 REF 7 PL 0.50 1.64 0.82 PITCH 2.14 **D4110-1 DOUBLER, LH DOOR D4110-2 DOUBLER, RH DOOR**

NOTES:
1) MATERIAL -1 & -2: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B, 0.063 THK PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 PER DART SPEC M304S16GA OR M303S16GA

8

D

2) FINISH: NONE.
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED.

4) UNITS: INCHES UNLESS OTHERWISE NOTED.

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENT P/N D4110-X & B/N PER QSI 044 6.1
7) WEIGHT -1 & -2: 0.05 lbs

DESIGN	JPH	DART A	EROSPACE LTD
DRAWN	JP/H	HAWKESBURY, ONTARIO, CANADA	
CHECKED	43	DRAWING NO.	REV. A
MFG. APPR.		D4110	SHEET 2 OF 3
APPROVED	Not	TITLE	SCALE
DE APPR.	-#	DOUBLER	NTS
DATE 10.0	7.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

2

